

A powerful tool for receptionists, visitors and users


A well developed visitor system gives your entire organisation a professional impression and will lift the efficiency in the reception. Tellus Visit is a system for handling of visitors that is integrated in our Tellus suite. Due to this integration we can optimise the functionality by giving the system access to your database, by doing this, you will make it quicker and easier for all involved; receptionists, visitors and users.





Tellus Visit plug-in for 4059EE -Receptionist experience

Let your receptionist register your visitors when they arrive by using our plug-in Tellus Visit for the operator application 4059EE. It is a simple interface with a smooth handling that won't disturb the work flow in the same way an independent program would. The receptionist have everything needed in an already existing tool and can easily register new visitors, see the pre-registered ones and give the best possible service with this plug-in.



Tellus Visit terminal - Visitor experience


Do you rather want a terminal where your visitors can register themselves? We have developed a Windows application that can be installed in every type of Windows based computer. We supply this application and you can install it on your chosen computer instead of needing to buy a big and expensive terminal. Our terminal application is connected to your database, this gives your visitor information about the receiving person and their picture.

Available languages in the terminal:

Swedish, Danish, English, Norwegian Finnish, French

Tellus Visit in Tellus Web - User experience

Dubble booked? Never more! You can pre-register your visitors in Tellus Web. This will favour both you, the receptionist and your visitors. Your pre-registered visitors will be shown in the receptionists attendant plug-in and this will ensure you that your visitors will receive the best possible service from the reception. You will also receive an SMS and/or an e-mail from the system when your visitors become registered.



Supported label writers:

Dymo Brother

Angeno - Smartprinter

Specifications

<u>Hardware</u>	<u>Web</u>	<u>Terminal</u>
CPU:	2 cores	Intel Pentium 1.5 GHz /
Memory:	4 GB RAM	equivalent
Disk:	8 GB available	2 GB RAM
		4 GB available
Network:	Ethernet IPv4 100 1000 Mb/s	
Graphics:	Not applicable	Ethernet IPv4 100 1000 Mb/s
		Minimum 1024 * 768 resolution
		with true color graphics card
	• •	

Prerequisites Web

Microsoft Windows Server 2008 | 2012 | 2016 | 2019 | (Any edition will work) x32 and x64 is fully supported. Can run in a virtual or physical machine. .NET Framework 4.x (≥ Tellus 2.8) Microsoft IIS

<u>Prerequisites Terminal</u>

Microsoft Windows 10

Software

SourceTech TellusWeb
SourceTech Visit Terminal

